



ISSUE 12 MAY 2010

| Case IH | | | With Parallel Linkage | | | | | | | | Alternative hydraulic solutions | | | | | |
|--|----------|-----------------|-----------------------|-----|--------|-----|-----|-----|-----|-----|---------------------------------|------------|----------------------------------|--------------------------------|------------------|------------------|
| | | | Q25 DS | Q25 | Q35 DS | Q35 | Q45 | Q55 | Q65 | Q75 | Q85x DL | Subframe | ErgoDrive Standard Hydraulic Kit | ElectroDrive CDC Hydraulic Kit | De Luxe Hose Kit | Special Hose Kit |
| Tractor model | Rem. | Max front wheel | | | | | | | | | | | | | | |
| 5130, 5140, 5150, 5230, 5240 and 5250 | 14,15,31 | 16,9 X 28 | | | | | | | X | X | | 14,320,144 | 10,317,113 | 10,367,113 | | |
| 7110 Magnum, 7120 Magnum, 7130 Magnum, 7140 Magnum, 7210 Magnum, 7220 Magnum, 7230 Magnum, 7240 Magnum and 7250 Magnum | | 16,9 x 30 | | | | | | | | | X | 14,330,924 | 10,317,802 | 10,367,802 | | |
| CS 68 and 75 | | 12,4 x 24 | | | X | | | | | | | 14,321,055 | 10,317,715 | | | |
| CS 78, 86 and 94 | 16,31 | 380/70 R24 | | | | X | X | | | | | 14,320,975 | 10,317,533 | 10,367,533 | | |
| CS 80 PRO, 85 PRO, 90 PRO, 95 PRO, 100 PRO and 105 PRO | | 480/65 R24 | | | | X | X | | | | | 14,324,385 | 10,317,826 | 10,367,826 | | |
| CS 80 T2, 90 T2 and 100 T2 | 31 | 380/70 R24 | | | | X | X | | | | | 14,320,975 | 10,317,571 | 10,367,571 | | |
| CS 100 and 110 | 13,26 | 540/65 R24 | | | | | X | X | | | | 14,320,334 | 10,317,680 | 10,367,680 | | |
| CS 120, 130 and 150 | 14,26 | 540/65 R28 | | | | | | X | X | | | 14,320,134 | 10,317,680 | 10,367,680 | | |
| CVX 120, 130, 150, 1135, 1145 and 1155 | 17,31 | 480/70 R30 | | | | | | X | X | | | 14,323,525 | 10,317,351 | 10,367,351 | 10,377,094 | |
| CVX 140 Tier 3 and 150 Tier 3 | 17,30 | 480/70 R30 | | | | | | X | X | | | 14,323,525 | | | 10,377,292 | 10,377,275 |
| CVX 160 Tier 3, 175 Tier 3 and 195 Tier 3 | 30 | 480/70 R30 | | | | | | | X | | | 14,323,525 | | | 10,377,292 | 10,377,275 |
| CVX 170, 1170, 1190 and 1195 | 31 | 480/70 R30 | | | | | | | X | | | 14,323,525 | 10,317,351 | 10,367,351 | 10,377,094 | |
| CX 70, 75, 80 and 85 | 31 | 12,4 x 24 | | | X | X | | | | | | 14,322,675 | 10,317,294 | 10,367,294 | | |
| CX 90, 95, 100 and 105 | 27,31 | 13,6 x 24 | | | | X | X | | | | | 14,322,675 | 10,317,294 | 10,367,294 | | |
| JX 55, 60, 65 and 70 | 31,32 | 11,2 x 24 | | X | X | | | | | | | 14,321,295 | 10,317,831 | 10,367,831 | | |
| JX 60 Tier3 and 70 Tier3 | 31,32 | 11,2 x 24 | | X | X | | | | | | | 14,324,645 | 10,317,831 | 10,367,831 | | |
| JX 70U, 80U, 90U and 100U | 5,18 | 13,6 x 24 | | | X | X | | | | | | 14,321,215 | 10,317,711 | 10,367,711 | | 10,377,209 |
| JX 75, 80, 85 and 90 | 12,31,32 | 13,6 x 24 | | | X | X | | | | | | 14,321,285 | 10,317,831 | 10,367,831 | | |

5 Hose kit 10377209 adapted for tractors with mid mounted valve.

12 Use counter weight 1000 kg in combination with loader Q45.

13 Use counter weight 1000 kg in combination with loader Q65.

14 Use counter weight 1000 kg in combination with loader Q75.

15 For open centre tractors, use hydraulic set 10317114/10367114.

16 Hydraulic kit 10317571/10367571 adapted for tractors with load sensing hydraulic system.

17 Loader Q65 must be ordered with long bearing boxes.

18 If tractor is equipped with CNH single lever control, use hydraulic set 10317555.

26 On older tractors with open centre hydraulics (Before serial no. DBD0014743), use 10317750/10367750.

27 Use counter weight 1000 kg in combination with loader Q55.

30 Hose kit 10377275 designed only for tractors with "Loader interface preparation" CNH code 8110-330489.

31 The CDC-kit does NOT include a joystick bracket.

32 If tractor is equipped with preinstalled connections for auxiliary valve (CNH code 720306000), use hydraulic set 10317833.



ISSUE 12 MAY 2010

| <h1>Case IH</h1> | | | With Parallel Linkage | | | | | | | | | Alternative hydraulic solutions | | | | |
|--|------------|-----------------|-----------------------|-----|--------|-----|-----|-----|-----|-----|---------|---------------------------------|----------------------------------|--------------------------------|------------------|------------------|
| | | | Q25 DS | Q25 | Q35 DS | Q35 | Q45 | Q55 | Q65 | Q75 | Q85x DL | Subframe | ErgoDrive Standard Hydraulic Kit | ElectroDrive CDC Hydraulic Kit | De Luxe Hose Kit | Special Hose Kit |
| Tractor model | Rem. | Max front wheel | | | | | | | | | | | | | | |
| JX 80 Tier3 | 31,32 | 13,6 x 24 | | | | X | | | | | | 14,324,645 | 10,317,831 | 10,367,831 | | |
| JX 90 Tier3 | 31,32,33 | 14,9 x 24 | | | | | X | | | | | 14,324,725 | 10,317,831 | 10,367,831 | | |
| JX 95 and 95 Tier3 | 27,31,32 | 14,9 x 24 | | | | | X | X | | | | 14,324,725 | 10,317,831 | 10,367,831 | | |
| JX 1060C, 1070C and 1075C | 20 | 320/70 R24 | | X | | X | | | | | | 14,322,475 | 10,317,719 | 10,367,719 | 10,377,214 | |
| JX 1070U, JX 1080U, JX 1090U, JX 1100U, JXU 75, JXU 85, JXU 95 and JXU 105 | 5,18 | 540/65 R24 | | | | X | X | | | | | 14,323,955 | 10,317,676 | 10,367,676 | 10,377,209 | |
| JX 1075N | 25 | 280/70 R18 | X | | | | | | | | | 14,310,324 | 10,317,748 | | | |
| JX 1075N ROPS | 25 | 280/70 R18 | X | | | | | | | | | 14,310,324 | 10,317,749 | | | |
| JX 1085C and 1095C | 20,36 | 385/75 R20 | | X | | X | | | | | | 14,324,025 | 10,317,757 | 10,367,757 | 10,377,214 | |
| JX 1085C ROPS and 1095C ROPS | 20,36 | 385/75 R20 | | X | | X | | | | | | 14,324,025 | 10,317,757 | | 10,377,214 | |
| JX 1095N | 25 | 280/70 R18 | X | | X | | | | | | | 14,310,324 | 10,317,748 | | | |
| JX 1095N ROPS | 25 | 280/70 R18 | X | | X | | | | | | | 14,310,324 | 10,317,749 | | | |
| MAXXUM 100 (Value), MAXXUM 110 (Value), MXU 100X and MXU 110X | 1,4,24 | 480/65 R28 | | | | | X | X | | | | 14,323,354 | 10,317,790 | 10,367,790 | 10,377,137 | |
| MAXXUM 100 X-Line/Limited/Pro, MAXXUM 110 X-Line/Limited/Pro, MXU 100 Pro and MXU 110 Pro | 1,4,7,9,34 | 480/65 R28 | | | | | X | X | | | | 14,323,354 | 10,317,702 | 10,367,638 | 10,377,137 | |
| MAXXUM 110 Multicontroller, MAXXUM 120 Multicontroller, MAXXUM 130 Multicontroller and MXU 110 Multicontroller | 1,28 | 480/65 R28 | | | | | X | X | | | | 14,323,354 | 10,317,758 | | 10,377,294 | |
| MAXXUM 115 (Value), MAXXUM 125 (Value), MXU 115X and MXU 130X | 1,4,24 | 480/65 R28 | | | | | | X | X | | | 14,323,364 | 10,317,791 | 10,367,790 | 10,377,137 | |
| MAXXUM 115 Multicontroller, MAXXUM 125 Multicontroller, MAXXUM 140 Multicontroller, MXU 115 Multicontroller, MXU 125 Multicontroller and MXU 135 Multicontroller | 1,28 | 480/65 R28 | | | | | | X | X | | | 14,323,364 | 10,317,758 | | 10,377,294 | |
| MAXXUM 115 X-Line/Limited/Pro, MAXXUM 125 X-Line/Limited/Pro, MAXXUM 140 X-Line/Limited/Pro, MXU 115 Pro, MXU 125 Pro and MXU 135 Pro | 1,4,7,9,34 | 480/65 R28 | | | | | | X | X | | | 14,323,364 | 10,317,705 | 10,367,638 | 10,377,137 | |
| MAXXUM 120 Pro and 130 Pro | 1,4,9,34 | 480/65 R28 | | | | | X | X | | | | 14,323,354 | 10,317,702 | 10,367,638 | 10,377,137 | |

- | | |
|---|--|
| <p>1 Will not fit front weight bracket for 16 Weights (27LC) 960mm wide.</p> <p>4 Hose kits 10377137 adapted for tractors with mid mounted tractor valve.</p> <p>5 Hose kit 10377209 adapted for tractors with mid mounted valve.</p> <p>7 If the tractor has front axle suspension and mechanical tractor valve, additional kit 10377122 is required for Ergo and ElectroDrive sets.</p> <p>9 Electrodrive 10367638 includes joystick bracket for arm rests with Electronic Draft Control (Does not fit Multicontroller armrest)</p> <p>18 If tractor is equipped with CNH single lever control, use hydraulic set 10317555.</p> <p>20 Hose kit 10377214 adapted for tractors with mid mounted valve.</p> <p>24 Ergo- and Electrodrive set does NOT fit tractors with mid mounted tractor valve, or seat mounted single lever.</p> | <p>25 Subframe designed for horizontal exhaust only!</p> <p>27 Use counter weight 1000 kg in combination with loader Q55.</p> <p>28 Hose kit Deluxe designed for CNH Joystick equipped with push buttons for Loader Selecto functions.</p> <p>31 The CDC-kit does NOT include a joystick bracket.</p> <p>32 If tractor is equipped with preinstalled connections for auxiliary valve (CNH code 720306000), use hydraulic set 10317833.</p> <p>33 Subframe set 14324015 fits tractors with serial no Z8JP.....only.</p> <p>34 If tractor is equipped with mid mounted tractor valve, or seat mounted single lever, use Ergodrive set 10317758.</p> <p>36 Loader Q25 does not fit in combination with front linkage.</p> |
|---|--|

ISSUE 12 MAY 2010

| Case IH | | | With Parallel Linkage | | | | | | | | | Alternative hydraulic solutions | | | | |
|--|------------------|-----------------|-----------------------|-----|--------|-----|-----|-----|-----|-----|------------|---------------------------------|----------------------------------|--------------------------------|------------------|------------------|
| | | | Q25 DS | Q25 | Q35 DS | Q35 | Q45 | Q55 | Q65 | Q75 | Q85x DL | Subframe | ErgoDrive Standard Hydraulic Kit | ElectroDrive CDC Hydraulic Kit | De Luxe Hose Kit | Special Hose Kit |
| Tractor model | Rem. | Max front wheel | | | | | | | | | | | | | | |
| MX 80C, 90C and 100C | 3,8,10,31 | 16,9 x 24 | | | | | X | X | | | 14,320,164 | 10,317,290 | 10,367,290 | | | |
| MX 100, 110, 120 and 135 | 1,3,8,10,14,31 | 480/65 R28 | | | | | | | X | X | 14,320,044 | 10,317,290 | 10,367,290 | | | |
| MX 150 and 170 | 1,3,8,10,31 | 540/65 R30 | | | | | | | | X | 14,320,044 | 10,317,290 | 10,367,290 | | | |
| MX 180, 200, 210, 215 Magnum, 225 Magnum, 230, 240, 245 Magnum, 250 Magnum, 255, 270, 275 Magnum, 280 Magnum, 285, 305 Magnum, 310 Magnum and 335 Magnum | 19 | 600/65 R30 | | | | | | | | X | 14,330,044 | 10,317,712 | 10,367,712 | | | |
| MXM 120, 130 and 140 | 1,2,4,6,11,14,31 | 540/65 R28 | | | | | | | X | X | 14,320,005 | 10,317,650 | 10,367,650 | | 10,377,137 | |
| MXM 155 | 1,2,4,6,14,31 | 540/65 R28 | | | | | | | X | X | 14,320,005 | 10,317,650 | 10,367,650 | | 10,377,137 | |
| MXM 175 and 190 | 1,2,4,6,31 | 600/65 R28 | | | | | | | | X | 14,320,035 | 10,317,650 | 10,367,650 | | 10,377,137 | |
| PUMA 115, 125, 140 and 155 | 29 | 540/65 R28 | | | | | | | X | X | 14,323,624 | 10,317,819 | 10,367,819 | | 10,377,264 | |
| PUMA 125 Multicontroller, 140 Multicontroller and 155 Multicontroller | 29 | 540/65 R28 | | | | | | | X | X | 14,323,624 | 10,317,819 | | 10,377,290 | 10,377,264 | |
| PUMA 165 | 29,35 | 600/65 R28 | | | | | | | X | X | 14,324,534 | 10,317,839 | 10,367,839 | | 10,377,264 | |
| PUMA 165 CVX | 29 | 600/65 R28 | | | | | | | X | X | 14,324,534 | 10,317,839 | | 10,377,291 | 10,377,264 | |
| PUMA 165 Multicontroller | 29,35 | 600/65 R28 | | | | | | | X | X | 14,324,534 | 10,317,839 | | 10,377,291 | 10,377,264 | |
| PUMA 180, 195 and 210 | 29,35 | 600/65 R28 | | | | | | | | X | 14,324,534 | 10,317,839 | 10,367,839 | | 10,377,264 | |
| PUMA 180 CVX, 195 CVX, 210 CVX and 225 CVX | 29 | 600/65 R28 | | | | | | | | X | 14,324,534 | 10,317,839 | | 10,377,291 | 10,377,264 | |
| PUMA 180 Multicontroller, 195 Multicontroller and 210 Multicontroller | 29,35 | 600/65 R28 | | | | | | | | X | 14,324,534 | 10,317,839 | | 10,377,291 | 10,377,264 | |
| Quantum 65C and 75C | 20 | 11.2 x 24 | | X | | X | | | | | 14,323,765 | 10,317,757 | 10,367,757 | | 10,377,214 | |
| Quantum 65C and 75C | 20,37 | 11.2 x 24 | X | | X | | | | | | 14,310,625 | 10,317,757 | 10,367,757 | | 10,377,214 | |
| Quantum 85C and 95C | 20,36 | 11.2 x 24 | | X | | X | | | | | 14,324,025 | 10,317,757 | 10,367,757 | | 10,377,214 | |

- 1 Will not fit front weight bracket for 16 Weights (27LC) 960mm wide.
- 2 Possible original reinforcement side plates are replaced with the loader subframe.
- 3 Will not fit tractors with Bosch hydraulic system.
- 4 Hose kits 10377137 adapted for tractors with mid mounted tractor valve.
- 6 Fits original and Stemplinger front hitch, integrated in front axle support.
- 8 Hydraulic kit 10317285/10367285 for tractors without BOSCH hydraulic system but with two sectional- valves only - without power beyond plate.
- 10 Hydraulic kit 10317290/10367290 for tractors without BOSCH hydraulic system but with a power beyond plate between 2nd and 3rd section.
- 11 Hydraulic kit 10317651/10367651 adapted for tractors with open centre hydraulic system.

- 14 Use counter weight 1000 kg in combination with loader Q75.
- 19 Tractor must be equipped with "Power Beyond" plate (For installation of loader control valve).
- 20 Hose kit 10377214 adapted for tractors with mid mounted valve.
- 29 Hose kit 10377264 adapted for tractors with mid mounted tractor valve.
- 31 The CDC-kit does NOT include a joystick bracket.
- 35 Hydraulic kits 10317801, 10367801 adapted for tractors before serial no. Z8BH16869.
- 36 Loader Q25 does not fit in combination with front linkage.
- 37 Subframe not adapted for tractors with vertical exhaust pipe beside the engine bonnet.