



ISSUE 15 MARCH 2010

Deutz			With Parallel Linkage								ErgoDrive Standard Hydraulic Kit		Alternative hydraulic solutions		
			Q25 DS	Q25	Q35 DS	Q35	Q45	Q55	Q65	Q75			Q85x DL	Subframe	ElectroDrive CDC Hydraulic Kit
Tractor model	Rem.	Max front wheel													
Agrofarm 85, 100, 410, 420 and 430	6	420/85 R24				X	X					14,324,585	10,317,807	10,367,807	
Agrolux 50, 75, 310 and 320	26,27,28,29,30	280/85 R20	X									14,310,595	10,317,838		
Agrolux 57 and 67	15,21	320/70 R20	X									14,310,605	10,317,794		
Agrolux 60 and 70	26,27,28,29,30,31	280/85 R20	X									14,310,595	10,317,838		
Agrolux 77, 87 and 97		320/70 R24				X	X					14,322,165	10,317,746		
Agroplus 67	13,15	360/70 R20	X		X							14,310,515	10,317,752	10,367,752	
Agroplus 75 and 85	14	420/65 R24				X	X					14,322,535	10,317,767	10,367,767	
Agroplus 77	15	320/70 R24	X		X							14,310,495	10,317,752	10,367,752	
Agroplus 87	9,15	320/70 R24	X		X							14,310,615	10,317,752	10,367,752	
Agroplus 95	14,33	420/65 R24				X	X					14,322,535	10,317,767	10,367,767	
Agroplus 95 New	14	420/65 R24				X	X					14,322,045	10,317,767	10,367,767	
Agroplus 100 (4-cyl)	14,16	420/65 R24				X	X					14,322,535	10,317,767	10,367,767	
Agroplus 310 and 320		320/85 R20		X		X						14,325,095	10,317,865	10,367,865	
Agroplus 410 and 420	32	320/70 R24		X		X						14,325,085	10,317,865	10,367,865	
Agrotron 4.70, 4.80, 4.85, 4.90 and 4.95	2	13.6x24						X				14,320,884	10,317,235	10,367,235	
Agrotron 6.00, 6.01, 6.05 and 6.15	2,10	16.9x26						X	X			14,320,024	10,317,236	10,367,236	
Agrotron 6.20, 6.30 and 6.45	2,3,10	540/65 R28							X	X		14,320,014	10,317,236	10,367,236	

- | | |
|---|---|
| <p>2 Subframe adapted for tractors with or without front axle suspension.
 3 Hydraulic kit 10317316 adapted for tractors with load sensing hydraulic system.
 6 Loader Q35 must be ordered with long bearing boxes.
 9 For tractors with vertical or cab mounted exhaust, please order 14310615.
 10 If the tractor have/should be equipped with Sauter front-hitch, contact Sauter for more information.
 13 For tractors with vertical or cab mounted exhaust, please order 14310505.
 14 Order hydraulic set: 10317768/10367768 for tractors with NO hydraulic trailer brake valve.
 15 The front weight carrier must be demounted in combination with Q25.
 16 Fits only 4-cyl tractors</p> | <p>21 Adapted only for 2 point foldable ROPS.
 26 Designed for tractors with under slung exhaust pipe.
 27 Will only fit 4wd tractors.
 28 Because of the tractors design, a pressure reducing valve is included that lowers the loaders working pressure to 100 Bar.
 29 The subframe set is adapted for tractors with 2 point foldable ROPS or Lochmann cab.
 30 Observe that loader Q25 is not adapted for tractors with Lochmann cab.
 31 Only fits tractors manufactured after 1st Jan 2008
 32 Loader Q25 does not fit in combination with front linkage.
 33 Only fits tractor with 4-cyl Deutz engine</p> |
|---|---|



ISSUE 15 MARCH 2010

Deutz			With Parallel Linkage								Alternative hydraulic solutions				
			Q25 DS	Q25	Q35 DS	Q35	Q45	Q55	Q65	Q75	Q85x DL	Subframe	ErgoDrive Standard Hydraulic Kit	ElectroDrive CDC Hydraulic Kit	De Luxe Hose Kit
Tractor model	Rem.	Max front wheel													
Agrotron 80, 85, 90 and 100	10,11	13,6x24					X	X			14,322,544	10,317,671	10,367,671		
Agrotron 105	2,10,11,24	16.9x26						X	X		14,320,024	10,317,671	10,367,671		
Agrotron 106 MKII	2,3,10	16.9x26						X	X		14,320,024	10,317,236	10,367,236		
Agrotron 106 MKIII, 108, 118 and 128	2,10,24	16.9x26						X	X		14,320,024	10,317,548	10,367,548		
Agrotron 110	2,4,10,24	16.9x26						X	X		14,320,024	10,317,671	10,367,671		
Agrotron 110 MKII	2,3,8,10	16.9x26						X	X		14,320,024	10,317,236	10,367,236		
Agrotron 110 MKIII	2,8,10,24	16.9x26						X	X		14,320,024	10,317,548	10,367,548		
Agrotron 115 MKII	2,3,8,10	16.9x26						X	X		14,320,024	10,317,236	10,367,236		
Agrotron 115 MKIII	2,10,24	16.9x26						X	X		14,320,024	10,317,548	10,367,548		
Agrotron 120 and 150	2,4,10,18,19,24	540/65 R28						X	X		14,320,024	10,317,548	10,367,548		
Agrotron 120 MKII, 135 MKII and 150 MKII	2,3,5,10	540/65 R28							X	X	14,320,014	10,317,236	10,367,236		
Agrotron 120 MKIII and 150 MKIII	2,5,10,24	540/65 R28							X	X	14,320,014	10,317,548	10,367,548		
Agrotron 120 Profiline, 130 Profiline and 150 Profiline	10,20	540/65 R28						X	X		14,320,024		10,367,771	10,377,284	
Agrotron 130	2,5,10,19,24	540/65 R28							X	X	14,320,014	10,317,548	10,367,548		
Agrotron 130	2,10,18,24,25	540/65 R28						X	X		14,320,024	10,317,548	10,367,548		
Agrotron 135 MKIII, 140 and 165	2,10,24	540/65 R28							X	X	14,320,014	10,317,548	10,367,548		
Agrotron 150.7 and 165.7	2,10,18,19,24	540/65 R28							X	X	14,320,014	10,317,548	10,367,548		
Agrotron 150.7 Profiline and 165.7 Profiline	10,20	540/65 R28							X	X	14,320,014		10,367,771	10,377,284	

- 2 Subframe adapted for tractors with or without front axle suspension.
- 3 Hydraulic kit 10317316 adapted for tractors with load sensing hydraulic system.
- 4 Adapted for engine type BF6M2012C
- 5 Adapted for engine type BF6M1013EC
- 8 Adapted for engine type BF6M1012E
- 10 If the tractor have/should be equipped with Sauter front-hitch, contact Sauter for more information.
- 11 Hydraulic kit 10317235/10367235 fits tractors with production date up-to 31 oct 2003.

- 18 If the tractor is manufactured after 2006-09-01 order 10317771/10367771
- 19 Tractors manufactured after 2006-09-01 and without front axle suspension or piston pump a special plug is needed for L-S signal, order from SDF. Ref no:04454514.4
- 20 When fitting hose kit "Deluxe", 4 of the tractors quick couplers are moved to a higher position.
- 24 Tractor manufactured before 2006-09-01, tractor valve must be equipped with an end cover plate for LS signal., order from SDF. Ref no: Bosch 1525 503 538, SDF 0441 3341
- 25 Adapted for engine type BF6M2012C



ISSUE 15 MARCH 2010

<h1 style="text-align: center;">Deutz</h1>			With Parallel Linkage								Alternative hydraulic solutions				
			Q25 DS	Q25	Q35 DS	Q35	Q45	Q55	Q65	Q75	Q85x DL	Subframe	ErgoDrive Standard Hydraulic Kit	ElectroDrive CDC Hydraulic Kit	De Luxe Hose Kit
Tractor model	Rem.	Max front wheel													
Agrotron 155	10,24	540/65 R28							X	X		14,320,014	10,317,548	10,367,548	
Agrotron 180.7 Profiline	10,20	540/65 R34								X		14,322,874		10,367,771	10,377,284
Agrotron K-90, K-100, K-120, K-410, K-420 and K-430	1,2,12,22,23					X	X					14,322,824	10,317,739	10,367,739	
Agrotron K-90 Profiline, K-100 Profiline, K-120 Profiline, K-410 Profiline, K-420 Profiline and K-430 Profiline	1,12,20				X	X						14,322,824		10,367,763	10,377,232
Agrotron K-110 and K-610	1,2,22,23						X	X				14,322,774	10,317,739	10,367,739	
Agrotron K-110 Profiline and K-610 Profiline	1,20						X	X				14,322,774		10,367,763	10,377,232
Agrotron M600, M610 and M620	2,10,19	540/65 R28					X	X				14,324,124	10,317,771	10,367,771	
Agrotron M600 Profiline, M610 Profiline and M620 Profiline	10,17	540/65 R28					X	X				14,324,124		10,367,771	10,377,307
Agrotron M640	2,10,19	540/65 R28						X	X			14,324,084	10,317,771	10,367,771	
Agrotron M640 Profiline	10,17	540/65 R28						X	X			14,324,084		10,367,771	10,377,307
Agrotron M650	2,19	540/65 R34							X			14,324,064	10,317,771	10,367,771	
Agrotron M650 Profiline	17	540/65 R34							X			14,324,064		10,367,771	10,377,307
Agrotron TTV 610 and TTV 620	10	540/65 R28							X	X		14,324,084		10,367,563	10,377,146
Agrotron TTV 1130, TTV 1145 and TTV 1160	10	540/65 R28							X	X		14,320,014		10,367,563	10,377,146

1 Subframe adapted for tractors with Carraro front axle, with or without suspension.
 2 Subframe adapted for tractors with or without front axle suspension.
 10 If the tractor have/should be equipped with Sauter front-hitch, contact Sauter for more information.
 12 Use counter weight 1000 kg in combination with loader Q55.
 17 Hose kit Deluxe 10377307 does not fit tractors with air pressure equipment.
 19 Tractors manufactured after 2006-09-01 and without front axle suspension or piston pump a special plug is needed for L-S signal. Order from SDF. Ref no:04454514.4
 20 When fitting hose kit "Deluxe", 4 of the tractors quick couplers are moved to a higher position.
 22 If the tractor has a 75 litre pump and a BOSCH valve then order hydraulic set 10317818/10367818
 23 If tractor has a 75 litre pump and a BOSCH valve and NO front axle suspension a special plug is needed for L-S signal. It can be ordered from SDF. Ref no:04454514.4
 24 Tractor manufactured before 2006-09-01, tractor valve must be equipped with an end cover plate for LS signal. Order from SDF. Ref no: Bosch 1525 503 538, SDA 0441 3341