



ISSUE 12 MAY 2010

<h1>New Holland</h1>			With Parallel Linkage								Alternative hydraulic solutions				
			Q25 DS	Q25	Q35 DS	Q35	Q45	Q55	Q65	Q75	Q85x DL	Subframe	ErgoDrive Standard Hydraulic Kit	ElectroDrive CDC Hydraulic Kit	De Luxe Hose Kit
Tractor model	Rem.	Max front wheel													
5640, 6640 and 7740	9,12,33,36	13,6 x 28					X	X				14,324,255	10,317,652	10,367,652	
7840, 8240 and 8340	9,13,33,36	13,6 x 28						X	X			14,324,265	10,317,652	10,367,652	
8160, 8260, 8360, M 100, M 115 and M 135	10,16,33	420/70R28							X	X		14,320,725	317,240	367,240	
8160, 8260, 8360, M 100, M 115 and M 135	4,10,17,33	420/70R28							X	X		14,320,005	317,338	367,338	
8560 and M 160	10,16,33	420/70R28								X		14,320,725	317,240	367,240	
8560 and M 160	4,10,17,33	420/70R28								X		14,320,005	317,338	367,338	
8670, 8770, 8870, 8970, G 170, G 190, G 210 and G 240		16,9 x 30									X	14,330,135	10,317,714		
T 4020 and 4030	24	11,2 x 24		X		X						14,323,765	10,317,757	10,367,757	10,377,214
T 4020 and 4030	24,39	11,2 x 24	X		X							14,310,625	10,317,757	10,367,757	10,377,214
T 4020 ROPS and 4030 ROPS	24	11,2 x 24		X								14,323,765	10,317,852		10,377,214
T 4020 Super Steer and 4030 Super Steer	24,25	11,2 x 24				X						14,323,965	10,317,757	10,367,757	10,377,214
T 4030F (4WD) and 4040F (4WD)		280/70 R20		X		X						14,324,944	10,317,859		
T 4040 and 4050	24,38	11,2 x 24		X		X						14,324,025	10,317,757	10,367,757	10,377,214
T 4040 ROPS and 4050 ROPS	24,38	11,2 x 24		X								14,324,025	10,317,852		10,377,214
T 4040 Super Steer and 4050 Super Steer	24,25	11,2 x 24				X						14,324,045	10,317,757	10,367,757	10,377,214
T 4050F (4WD)		280/70 R20		X		X						14,324,954	10,317,859		
T 5030, 5040, 5050, 5060 and 5070	3,20	540/65 R24				X	X					14,323,955	10,317,676	10,367,676	10,377,209

3 Hose kit 10377209 adapted for tractors with mid mounted valve.
 4 Fits original and Stemplinger front hitch, integrated in front axle support.
 9 Subframe kit prepared with spacers for front linkage.
 10 Hydraulic kit 317241/367341 adapted for tractors with open centre hydraulic system.
 12 Use counter weight 1000 kg in combination with loader Q55.
 13 Use counter weight 1000 kg in combination with loader Q65.
 16 Adapted for tractors before chassis no. 116200B.
 17 Adapted for tractors after chassis no. 116200B.
 20 If tractor is equipped with CNH single lever control, use hydraulic set 10317555.
 24 Hose kit 10377214 adapted for tractors with mid mounted valve.

25 Loader Q35 must be ordered with long bearing boxes.
 33 The CDC-kit does NOT include a joystick bracket.
 36 Ergo- and Electro Drive sets designed for tractors with Deluxe remote valve only!
 38 Loader Q25 does not fit in combination with front linkage.
 39 Subframe not adapted for tractors with vertical exhaust pipe beside the engine bonnet.



ISSUE 12 MAY 2010

New Holland			With Parallel Linkage								Alternative hydraulic solutions				
			Q25 DS	Q25	Q35 DS	Q35	Q45	Q55	Q65	Q75	Q85x DL	Subframe	ErgoDrive Standard Hydraulic Kit	ElectroDrive CDC Hydraulic Kit	De Luxe Hose Kit
Tractor model	Rem.	Max front wheel													
T 6010 Delta, T 6020 Delta, TS 100A Delta and TS 110A Delta	2,28	480/65 R28					X	X				14,323,354	10,317,790	10,367,790	10,377,137
T 6010 Plus and 6020 Plus/Elite	2,5,6,35	480/65 R28					X	X				14,323,354	10,317,702	10,367,638	10,377,137
T 6010 Plus Super Steer, 6020 Plus/Elite Super Steer, 6040 Elite Super Steer and 6060 Elite Super Steer	2,6,7,18,35	480/65 R28						X				14,323,354	10,317,702	10,367,638	10,377,137
T 6030 Delta, T 6050 Delta, TS 115A Delta and TS 130A Delta	2,28	480/65 R28						X	X			14,323,364	10,317,791	10,367,790	10,377,137
T 6030 Plus, 6050 Plus and 6070 Plus	2,5,6,35	480/65 R28						X	X			14,323,364	10,317,705	10,367,638	10,377,137
T 6030 Plus Super Steer, T 6050 Plus Super Steer, T 6070 Plus Super Steer, TS 115A Super Steer and TS 125A Super Steer	2,6,7,19,35	480/65 R28							X			14,323,364	10,317,705	10,367,638	10,377,137
T 6030 Power/Range Command to 6090 Power/Range Command	31	540/65 R28							X	X		14,323,624	10,317,819	10,367,819	10,377,264
T 6030 Power/Range Command Super Steer to 6090 Power/Range Command Super Steer	19,31	540/65 R28							X	X		14,323,624	10,317,819	10,367,819	10,377,264
T 6040 Elite, T 6060 Elite, TS 100A Plus and TS 110A Plus	2,6,35	480/65 R28					X	X				14,323,354	10,317,702	10,367,638	10,377,137
T 7030	31,37	600/65 R28							X	X		14,324,524	10,317,839	10,367,839	10,377,264
T 7030 Autocommand	31	600/65 R28							X	X		14,324,524	10,317,839		10,377,264
T 7030 Autocommand Super Steer	7,19,31	600/65 R28							X	X		14,324,524	10,317,839		10,377,264
T 7030 Super Steer	7,19,31,37	600/65 R28							X	X		14,324,524	10,317,839	10,367,839	10,377,264
T 7040, 7040 Super Steer, 7050, 7050 Super Steer, 7060 and 7060 Super Steer	31,37	600/65 R28								X		14,324,524	10,317,839	10,367,839	10,377,264
T 7040 Autocommand to 7070 Autocommand and 7040 Autocommand Super Steer to 7070 Autocommand Super Steer	31	600/65 R28								X		14,324,524	10,317,839		10,377,264
T 7510 and 7520	19,32	480/70 R30							X	X		14,323,525		10,377,292	10,377,275
T 7530, 7540 and 7550	32	480/70 R30								X		14,323,525		10,377,292	10,377,275
T 8020, T 8030, T 8040, T 8050, TG 210, TG 230, TG 255, TG 285 and TG 305	22	600/70 R30									X	14,330,024	10,317,712	10,367,712	

2 Hose kits 10377137 adapted for tractors with mid mounted tractor valve.
 5 If the tractor has front axle suspension and mechanical tractor valve, additional kit 10377122 is required for Ergo and ElectroDrive sets.
 6 Electrodrive 10367638 includes joystick bracket for arm rests with Electronic Draft Control (Does not fit Multicontroller armrest)
 7 When cleaning the airfilter, loader with extended bearing boxes, must be detached from the tractor.
 18 Loader Q55 must be ordered with long bearing boxes.
 19 Loader Q65 must be ordered with long bearing boxes.
 22 Tractor must be equipped with "Power Beyond" plate (For installation of loader control valve).
 28 Ergo- and Electrodrive set does NOT fit tractors with mid mounted tractor valve, or seat mounted single lever.

31 Hose kit 10377264 adapted for tractors with mid mounted tractor valve.
 32 Hose kit 10377275 designed only for tractors with "Loader interface preparation" CNH code 8110-330489.
 35 If tractor is equipped with mid mounted tractor valve, or seat mounted single lever, use Ergodrive set 10317758.
 37 Hydraulic kits 10317801, 10367801 adapted for tractors before serial no. Z8BH16869.



ISSUE 12 MAY 2010

New Holland			With Parallel Linkage								Subframe	ErgoDrive Standard Hydraulic Kit	Alternative hydraulic solutions		
			Q25 DS	Q25	Q35 DS	Q35	Q45	Q55	Q65	Q75			Q85x DL	ElectroDrive CDC Hydraulic Kit	De Luxe Hose Kit
Tractor model	Rem.	Max front wheel													
T 8020 Super Steer, 8030 Super Steer, 8040 Super Steer and 8050 Super Steer	22,23	600/70 R30								X	14,330,034	10,317,712	10,367,712		
TB 100 and 110		14,9 x 24				X	X				14,320,895	10,317,603			
TB 120	14,21	14,9 x 28						X			14,320,905	10,317,603			
TD 55D, 60D, 65D and 70D	33,34	11,2 x 24	X		X						14,321,295	10,317,831	10,367,831		
TD 75D, 80D, 85D and 90D	11,33,34	13,6 x 24			X	X					14,321,285	10,317,831	10,367,831		
TD 95D and 5050	30,33,34	14,9 x 24				X	X				14,324,725	10,317,831	10,367,831		
TD 4020F, 4030F and 4040F		280/70 R16	X								14,325,154	10,317,867			
TD 5010 and 5020	33,34	11,2 x 24	X		X						14,324,645	10,317,831	10,367,831		
TD 5030	33,34	13,6 x 24			X						14,324,645	10,317,831	10,367,831		
TD 5040	33,34	14,9 x 24				X					14,324,725	10,317,831	10,367,831		
TG 210 Super Steer, 230 Super Steer, 255 Super Steer, 285 Super Steer and 305 Super Steer	22,23	600/70 R30								X	14,330,034	10,317,712	10,367,712		
TL 70, 80, 90 and 100	3,20	13,6 x 24			X	X					14,321,215	10,317,711	10,367,711	10,377,209	
TL 70A, 80A, 90A and 100A	3,20	540/65R24			X	X					14,323,955	10,317,676	10,367,676	10,377,209	
TM 115, 120, 125 and 130	1,2,4,8,15,33	540/65 R28						X	X		14,320,005	10,317,650	10,367,650	10,377,137	
TM 115 Super Steer, 120 Super Steer, 125 Super Steer, 130 Super Steer, 135 Super Steer, 140 Super Steer, 150 Super Steer and 155 Super Steer	1,2,15,19,33	540/65 R28						X	X		14,320,215	10,317,650	10,367,650	10,377,137	
TM 135, 140, 150 and 155	1,2,4,15,33	540/65 R28						X	X		14,320,005	10,317,650	10,367,650	10,377,137	
TM 165	1,2,4,15,33	540/65 R28							X		14,320,005	10,317,650	10,367,650	10,377,137	
TM 165 Super Steer	1,2,15,33	540/65 R28							X		14,320,215	10,317,650	10,367,650	10,377,137	

1 Possible original reinforcement side plates are replaced with the loader subframe.

2 Hose kits 10377137 adapted for tractors with mid mounted tractor valve.

3 Hose kit 10377209 adapted for tractors with mid mounted valve.

4 Fits original and Stemplinger front hitch, integrated in front axle support.

8 Hydraulic kit 10317651/10367651 adapted for tractors with open centre hydraulic system.

11 Use counter weight 1000 kg in combination with loader Q45.

14 Use counter weight 1200 kg in combination with loader Q65.

15 Use counter weight 1000 kg in combination with loader Q75.

19 Loader Q65 must be ordered with long bearing boxes.

20 If tractor is equipped with CNH single lever control, use hydraulic set 10317555.

21 Subframe not adapted for front wheel mudguards!

22 Tractor must be equipped with "Power Beyond" plate (For installation of loader control valve).

23 Subframe set does not include grill guard.

30 Use counter weight 1000 kg in combination with loader Q55.

33 The CDC-kit does NOT include a joystick bracket.

34 If tractor is equipped with preinstalled connections for auxiliary valve (CNH code 720306000), use hydraulic set 10317833



ISSUE 12 MAY 2010

New Holland			With Parallel Linkage									Alternative hydraulic solutions				
			Q25 DS	Q25	Q35 DS	Q35	Q45	Q55	Q65	Q75	Q85x DL	Subframe	ErgoDrive Standard Hydraulic Kit	ElectroDrive CDC Hydraulic Kit	De Luxe Hose Kit	Special Hose Kit
Tractor model	Rem.	Max front wheel														
TM 175 and 190	1,2,4,33	600/65 R28								X		14,320,035	10,317,650	10,367,650		10,377,137
TM 175 Super Steer and 190 Super Steer	1,2,33	600/65 R28								X		14,320,225	10,317,650	10,367,650		10,377,137
TN 55, 60A, 65, 70A, 75 and 75A	24	320/70 R24		X								14,321,585	10,317,720			10,377,214
TN 55D, 60DA, 65D, 70DA, 75D and 75DA	24	320/70 R24		X		X						14,322,745	10,317,719	10,367,719		10,377,214
TN 55S, 60SA, 65S, 70S, 70SA, 75S and 75SA	24,25	320/70 R24				X						14,322,975	10,317,719	10,367,719		10,377,214
TN 65F, 75F, 75FA, 85FA, 90F and 95FA	33	380/70 R20	X		X							14,310,334	10,317,570	10,367,570		
TN 65N, 70NA, 75N and 75NA	29	260/70 R16	X									14,310,004	10,317,748			
TN 65N ROPS, 70NA ROPS, 75N ROPS and 75NA ROPS	29	260/70 R16	X									14,310,004	10,317,749			
TN 85A and 95A	24,38	385/75 R20		X		X						14,324,025	10,317,757			10,377,214
TN 85DA and 95DA	24,38	385/75 R20		X		X						14,324,025	10,317,757	10,367,757		10,377,214
TN 85SA	24,25	11,2 x 24				X						14,322,525	10,317,757	10,367,757		10,377,214
TN 95NA	29	260/70 R16			X							14,310,004	10,317,748			
TN 95NA ROPS	29	260/70 R16			X							14,310,004	10,317,749			
TS 90 and 100	9,33	420/70 R24					X	X				14,320,185	10,317,652	10,367,652		
TS 100A Super Steer and 110A Super Steer	2,6,7,18,35	480/65 R28						X				14,323,354	10,317,702	10,367,638		10,377,137
TS 110	9	420/70 R24					X	X				14,320,185	10,317,652	10,367,652		
TS 115	9,33	13,6 x 28						X	X			14,320,195	10,317,652	10,367,652		
TS 115A Plus, 125A Plus and 135A Plus	2,6,35	480/65 R28						X	X			14,323,364	10,317,705	10,367,638		10,377,137

- 1 Possible original reinforcement side plates are replaced with the loader subframe.
- 2 Hose kits 10377137 adapted for tractors with mid mounted tractor valve.
- 4 Fits original and Stemplinger front hitch, integrated in front axle support.
- 6 Electrodrive 10367638 includes joystick bracket for arm rests with Electronic Draft Control (Does not fit Multicontroller armrest)
- 7 When cleaning the airfilter, loader with extended bearing boxes, must be detached from the tractor.
- 9 Subframe kit prepared with spacers for front linkage.
- 18 Loader Q55 must be ordered with long bearing boxes.
- 24 Hose kit 10377214 adapted for tractors with mid mounted valve.

- 25 Loader Q35 must be ordered with long bearing boxes.
- 29 Subframe designed for horizontal exhaust only!
- 33 The CDC-kit does NOT include a joystick bracket.
- 35 If tractor is equipped with mid mounted tractor valve, or seat mounted single lever, use ErgoDrive set 10317758.
- 38 Loader Q25 does not fit in combination with front linkage.

