



ISSUE 09 APRIL 2009

Case IH			With Parallel Linkage								Without Parallel Linkage						Alternative hydraulic solutions					
			Q25 DS	Q25	Q35 DS	Q35	Q45	Q55	Q65	Q75	Q85 DL	Q20 DS	Q20	Q30 DS	Q30	Q40	Q50	Q60	Subframe	Standard Hydraulic Kit	CDC Hydraulic Kit	De Luxe Hose Kit
Tractor model	Rem.	Max front wheel																				
5130, 5140, 5150, 5230, 5240 and 5250	14,15,31	16,9 X 28							X	X							X	14,320,144	10,317,113	10,367,113		
7110 Magnum, 7120 Magnum, 7130 Magnum, 7140 Magnum, 7210 Magnum, 7220 Magnum, 7230 Magnum, 7240 Magnum and 7250 Magnum		16,9 x 30									X							14,330,924	10,317,802	10,367,802		
CS 68 and 75		12,4 x 24				X							X					14,321,055	10,317,715			
CS 78, 86 and 94	16,31	380/70 R24					X	X						X	X			14,320,975	10,317,533	10,367,533		
CS 80 PRO, 85 PRO, 90 PRO, 95 PRO, 100 PRO and 105 PRO		480/65 R24					X	X						X	X			14,324,385	10,317,826	10,367,826		
CS 80 T2, 90 T2 and 100 T2	31	380/70 R24					X	X						X	X			14,320,975	10,317,571	10,367,571		
CS 100 and 110	13,26	540/65 R24						X	X						X	X		14,320,334	10,317,680	10,367,680		
CS 120, 130 and 150	14,26	540/65 R28							X	X						X		14,320,134	10,317,680	10,367,680		
CVX 120, 130, 150, 1135, 1145 and 1155	17,31	480/70 R30							X	X								14,323,525	10,317,351	10,367,351	10,377,094	
CVX 140 Tier 3 and 150 Tier 3	17,30	480/70 R30							X	X								14,323,525			10,377,292	10,377,275
CVX 160 Tier 3, 175 Tier 3 and 195 Tier 3	30	480/70 R30								X								14,323,525			10,377,292	10,377,275
CVX 170, 1170, 1190 and 1195	31	480/70 R30								X								14,323,525	10,317,351	10,367,351	10,377,094	
CX 70, 75, 80 and 85	31	12,4 x 24				X	X						X	X				14,322,675	10,317,294	10,367,294		
CX 90, 95, 100 and 105	27,31	13,6 x 24					X	X						X	X			14,322,675	10,317,294	10,367,294		
JX 55, 60, 65 and 70	31,32	11,2 x 24				X	X						X	X				14,321,295	10,317,831	10,367,831		
JX 60 Tier3 and 70 Tier3	31,32	11,2 x 24				X	X						X	X				14,324,645	10,317,831	10,367,831		
JX 70U, 80U, 90U and 100U	5,18	13,6 x 24				X	X						X	X				14,321,215	10,317,711	10,367,711		10,377,209
JX 75, 80, 85 and 90	12,31,32	13,6 x 24				X	X						X	X				14,321,285	10,317,831	10,367,831		

5 Hose kit 10377209 adapted for tractors with mid mounted valve.  
 12 Use counter weight 1000 kg in combination with loader Q45 or Q40.  
 13 Use counter weight 1000 kg in combination with loader Q65 or Q60.  
 14 Use counter weight 1000 kg in combination with loader Q75.  
 15 For open centre tractors, use hydraulic set 10317114/10367114.  
 16 Hydraulic kit 10317571/10367571 adapted for tractors with load sensing hydraulic system.  
 17 Loader Q65 must be ordered with long bearing boxes.  
 18 If tractor is equipped with CNH single lever control, use hydraulic set 10317555.

26 On older tractors with open centre hydraulics (Before serial no. DBD0014743), use 10317750/10367750.  
 27 Use counter weight 1000 kg in combination with loader Q55.  
 30 Hose kit 10377275 designed only for tractors with "Loader interface preparation" CNH code 8110-330489.  
 31 The CDC-kit does NOT include a joystick bracket.  
 32 If tractor is equipped with preinstalled connections for auxiliary valve (CNH code 720306000), use hydraulic set 10317833.



ISSUE 09 APRIL 2009

Case IH			With Parallel Linkage								Without Parallel Linkage						Alternative hydraulic solutions					
			Q25 DS	Q25	Q35 DS	Q35	Q45	Q55	Q65	Q75	Q85 DL	Q20 DS	Q20	Q30 DS	Q30	Q40	Q50	Q60	Subframe	Standard Hydraulic Kit	CDC Hydraulic Kit	De Luxe Hose Kit
Tractor model	Rem.	Max front wheel																				
JX 80 Tier3	31,32	13,6 x 24				X									X			14,324,645	10,317,831	10,367,831		
JX 90 Tier3	31,32,33	14,9 x 24					X								X			14,324,725	10,317,831	10,367,831		
JX 95 and 95 Tier3	27,31,32	14,9 x 24					X	X							X	X		14,324,725	10,317,831	10,367,831		
JX 1060C, 1070C and 1075C	20	320/70 R24		X		X						X		X				14,322,475	10,317,719	10,367,719		10,377,214
JX 1070U, JX 1080U, JX 1090U, JX 1100U, JXU 75, JXU 85, JXU 95 and JXU 105	5,18	540/65 R24				X	X						X	X				14,323,955	10,317,676	10,367,676		10,377,209
JX 1075N	25	280/70 R18	X								X	X						14,310,324	10,317,748			
JX 1075N ROPS	25	280/70 R18	X								X	X						14,310,324	10,317,749			
JX 1085C and 1095C	20	385/75 R20		X		X						X		X				14,324,025	10,317,757	10,367,757		10,377,214
JX 1085C ROPS and 1095C ROPS	20	385/75 R20		X		X						X		X				14,324,025	10,317,757			10,377,214
JX 1095N	25	280/70 R18	X		X						X	X						14,310,324	10,317,748			
JX 1095N ROPS	25	280/70 R18	X		X						X	X						14,310,324	10,317,749			
MAXXUM 100, 110 (Value) and MXU 100X, 110X	1,4,24	480/65 R28					X	X						X	X			14,323,354	10,317,790	10,367,790		10,377,137
MAXXUM 100, 110 X-Line/Limited/Pro and MXU 100, 110 Pro	1,4,7,9,34	480/65 R28					X	X						X	X			14,323,354	10,317,702	10,367,638		10,377,137
MAXXUM 110, 120, 130 Multicontroller and MXU 110 Multicontroller	1,28	480/65 R28					X	X						X	X			14,323,354	10,317,758		10,377,294	
MAXXUM 115 (Value), MAXXUM 125 (Value), MXU 115X and MXU 130X	1,4,24	480/65 R28						X	X						X	X		14,323,364	10,317,791	10,367,790		10,377,137
MAXXUM 115, 125, 140 Multicontroller and MXU 115, 125, 135 Multicontroller	1,28	480/65 R28						X	X						X	X		14,323,364	10,317,758		10,377,294	
MAXXUM 115, 125, 140 X-Line/Limited/Pro and MXU 115, 125, 135 Pro	1,4,7,9,34	480/65 R28						X	X						X	X		14,323,364	10,317,705	10,367,638		10,377,137
MAXXUM 120 Pro and 130 Pro	1,4,9,34	480/65 R28					X	X						X	X			14,323,354	10,317,702	10,367,638		10,377,137

1 Will not fit front weight bracket for 16 Weights (27LC) 960mm wide.  
 4 Hose kits 10377137 adapted for tractors with mid mounted tractor valve.  
 5 Hose kit 10377209 adapted for tractors with mid mounted valve.  
 7 If the tractor has front axle suspension and mechanical tractor valve, additional kit 10377122 is required for Ergo and ElectroDrive sets.  
 9 Electrodrive 10367638 includes joystick bracket for arm rests with Electronic Draft Control (Does not fit Multicontroller armrest)  
 18 If tractor is equipped with CNH single lever control, use hydraulic set 10317555.  
 20 Hose kit 10377214 adapted for tractors with mid mounted valve.  
 24 Ergo- and Electrodrive set does NOT fit tractors with mid mounted tractor valve, or seat mounted single lever.

25 Subframe designed for horizontal exhaust only!  
 27 Use counter weight 1000 kg in combination with loader Q55.  
 28 Hose kit Deluxe designed for CNH Joystick equipped with push buttons for Loader Selecto functions.  
 31 The CDC-kit does NOT include a joystick bracket.  
 32 If tractor is equipped with preinstalled connections for auxiliary valve (CNH code 720306000), use hydraulic set 10317833.  
 33 Subframe set 14324015 fits tractors with serial no Z&JP.....only.  
 34 If tractor is equipped with mid mounted tractor valve, or seat mounted single lever, use ErgoDrive set 10317758.



ISSUE 09 APRIL 2009

# Case IH

			With Parallel Linkage								Without Parallel Linkage						Alternative hydraulic solutions				
			Q25 DS	Q25	Q35 DS	Q35	Q45	Q55	Q65	Q75	Q85 DL	Q20 DS	Q20	Q30 DS	Q30	Q40	Q50	Q60	Subframe	Standard Hydraulic Kit	CDC Hydraulic Kit
Tractor model	Rem.	Max front wheel																			
MX 80C, 90C and 100C	3,8,10,31	16,9 x 24					X	X						X	X		14,320,164	10,317,290	10,367,290		
MX 100, 110, 120 and 135	1,3,8,10,14,31	480/65 R28							X	X						X	14,320,044	10,317,290	10,367,290		
MX 150 and 170	1,3,8,10,31	540/65 R30								X							14,320,044	10,317,290	10,367,290		
MX 180, 200, 210, 215 Magnum, 225 Magnum, 230, 240, 245 Magnum, 250 Magnum, 255, 270, 275 Magnum, 280 Magnum, 285, 305 Magnum, 310 Magnum and 335 Magnum	19	600/65 R30									X						14,330,044	10,317,712	10,367,712		
MXM 120, 130 and 140	1,2,4,6,11,14,31	540/65 R28							X	X						X	14,320,005	10,317,650	10,367,650		10,377,137
MXM 155	1,2,4,6,14,31	540/65 R28							X	X						X	14,320,005	10,317,650	10,367,650		10,377,137
MXM 175 and 190	1,2,4,6,31	600/65 R28								X							14,320,035	10,317,650	10,367,650		10,377,137
PUMA 115, 125, 140 and 155	29	540/65 R28							X	X						X	14,323,624	10,317,819	10,367,819		10,377,264
PUMA 125 Multicontroller, 140 Multicontroller and 155 Multicontroller	29	540/65 R28							X	X						X	14,323,624	10,317,819		10,377,290	10,377,264
PUMA 165	29,35	600/65 R28							X	X						X	14,324,534	10,317,839	10,367,839		10,377,264
PUMA 165 CVX	29	600/65 R28							X	X						X	14,324,534	10,317,839		10,377,291	10,377,264
PUMA 165 Multicontroller	29,35	600/65 R28							X	X						X	14,324,534	10,317,839		10,377,291	10,377,264
PUMA 180, 195 and 210	29,35	600/65 R28								X							14,324,534	10,317,839	10,367,839		10,377,264
PUMA 180 CVX, 195 CVX, 210 CVX and 225 CVX	29	600/65 R28								X							14,324,534	10,317,839		10,377,291	10,377,264
PUMA 180 Multicontroller, 195 Multicontroller and 210 Multicontroller	29,35	600/65 R28								X							14,324,534	10,317,839		10,377,291	10,377,264
Quantum 65C and 75C	20	11,2 x 24		X		X						X		X			14,323,765	10,317,757	10,367,757		10,377,214
Quantum 85C and 95C	20	11,2 x 24		X		X						X		X			14,324,025	10,317,757	10,367,757		10,377,214

1 Will not fit front weight bracket for 16 Weights (27LC) 960mm wide.  
 2 Possible original reinforcement side plates are replaced with the loader subframe.  
 3 Will not fit tractors with Bosch hydraulic system.  
 4 Hose kits 10377137 adapted for tractors with mid mounted tractor valve.  
 6 Fits original and Stemplinger front hitch, integrated in front axle support.  
 8 Hydraulic kit 10317285/10367285 for tractors without BOSCH hydraulic system but with two sectional- valves only - without power beyond plate.  
 10 Hydraulic kit 10317290/10367290 for tractors without BOSCH hydraulic system but with a power beyond plate between 2nd and 3rd section.  
 11 Hydraulic kit 10317651/10367651 adapted for tractors with open centre hydraulic system.  
 14 Use counter weight 1000 kg in combination with loader Q75.  
 19 Tractor must be equipped with "Power Beyond" plate (For installation of loader control valve).

20 Hose kit 10377214 adapted for tractors with mid mounted valve.  
 29 Hose kit 10377264 adapted for tractors with mid mounted tractor valve.  
 31 The CDC-kit does NOT include a joystick bracket.  
 35 Hydraulic kits 10317801, 10367801 adapted for tractors before serial no. Z8BH16869.