



ISSUE 05 MAY 2010

<h1 style="text-align: center;">John Deere</h1>			With Parallel Linkage								Without Parallel Linkage						Alternative hydraulic solutions				
			Q25 DS	Q25	Q35 DS	Q35	Q45	Q55	Q65	Q75	Q85x DL	Q20 DS	Q20	Q30 DS	Q30	Q40	Q50	Q60	Subframe	ErgoDrive Standard Hydraulic Kit	ElectroDrive CDC Hydraulic Kit
Tractor model	Rem.	Max front wheel																			
3200, 3210, 3300, 3310, 3400 and 3410		12,4 x 24			X	X								X			14,321,635	10,317,751	10,367,751		
5055 E, 5065 E and 5075 E	21	320/85 R24	X	X						X		X					14,325,164	10,317,868			
5065 M, 5075 M, 5085 M, 5095 M and 5105 M		12,4 x 24			X							X					14,324,924				10,377,096
5070 M, 5080 M, 5090 M and 5100 M	1,3,4,9,14	440/65 R24			X	X	X							X	X		14,320,994	10,317,864			
5080 R, 5090 R and 5100 R	1,3,4,9,14,19	440/65 R24			X	X	X							X	X		14,320,994	10,317,855	10,367,855		10,377,112
5103, 5203, 5303 and 5403			X							X							14,323,264	10,317,799			
5105 and 5205		9,5 x 24	X							X							14,323,464	10,317,800			
5215 and 5315		320/70 R24	X							X							14,322,234	10,317,656			
5225 and 5325	20	11,2x24	X	X						X		X					14,324,834	10,317,717			10,377,096
5225 N and 5325 N	20	8,3X16	X							X							14,324,834	10,317,717			10,377,096
5415 and 5515		320/70 R24	X	X						X		X					14,322,134	10,317,656			
5425, 5425 N, 5525, 5525 N and 5603		12,4 x 24			X							X					14,324,824	10,317,717			10,377,096
5620, 5720 and 5820	1,3,4,9,14	440/65 R24			X	X	X							X	X		14,320,994	10,317,608	10,367,608		10,377,112
5625		12,4 x 24	X	X						X		X					14,322,364	10,317,717			10,377,096
6010, 6100, 6110, 6200 and 6210	2,6,12	14,9 x 24				X	X								X		14,320,354	10,317,288	10,367,288		10,377,047
6100 D, 6115 D, 6130 D and 6140 D		14,9 x 24				X	X							X	X		14,324,814	10,317,860			10,377,096
6120 and 6220	1,5,6,12,14,15,16	540/65 R24				X	X								X		14,320,064	10,317,540	10,367,540		10,377,047
6120 and 6220	1,5,6,12,15,18	540/65 R24				X	X								X		14,324,324	10,317,540	10,367,540		10,377,047

- 1 Prepared for Zuidberg front hitch
- 2 Hydraulic kit 10317312/10367312 adapted for tractors with suspended front axle.
- 3 Use counter weight 1200 kg in combination with loader Q45 or Q40.
- 4 Use counter weight 1400 kg in combination with loader Q55 or Q50.
- 5 Hydraulic set 10317687/10367687 adapted for tractors produced as from year 2004 or later.
- 6 Hose kit 10377047 adapted for tractors equipped with a 2 sections EICV-valve.
- 9 Loader Q35 must be ordered with long bearing boxes.
- 12 Loader Q45 must be ordered with long bearing boxes for tractors with front wheels larger than 480/65 R24.

- 14 If the tractor has a drawbar bracket, please order set 10386279.
- 15 Hose kit 10377277 adapted for tractors equipped with a 3 section EICV-valve.
- 16 To combine grill guards with Sauter or Degenhart front hitch, order set 14323651.
- 18 Adapted for tractors sold in NA.
- 19 Tractor must be equipped with JD original Power beyond plate number: AL171838 (studs L173498 qty 3 is needed)
- 20 Loader Q25 and Q20 does not fit in combination with front weight carrier.
- 21 Tractor must be equipped with JD original Power beyond plate number: R259621 and adaptor set number: RE251179.



ISSUE 05 MAY 2010

<h1>John Deere</h1>			With Parallel Linkage							Without Parallel Linkage						Alternative hydraulic solutions						
			Q25 DS	Q25	Q35 DS	Q35	Q45	Q55	Q65	Q75	Q85x DL	Q20 DS	Q20	Q30 DS	Q30	Q40	Q50	Q60	Subframe	ErgoDrive Standard Hydraulic Kit	ElectroDrive CDC Hydraulic Kit	De Luxe Hose Kit
Tractor model	Rem.	Max front wheel																				
6120 L Rops and 6220 L Rops	5,6,8,15	12.4x24					X	X								X		14,320,374	10,317,540			10,377,047
6215	5,6,12,15	540/65 R24					X	X								X		14,324,324	10,317,540	10,367,540		10,377,047
6230, 6330 and 6430	1,6,12,14,15,16,19	540/65 R24					X	X	X							X	X	14,320,064	10,317,824	10,367,824		10,377,047
6230, 6330 and 6430	1,6,12,15,18,19	540/65 R24					X	X	X							X	X	14,324,324	10,317,824	10,367,824		10,377,047
6230 Premium, 6330 Premium and 6430 Premium	1,6,12,14,15,16	540/65 R24					X	X	X							X	X	14,320,064	10,317,824	10,367,824		10,377,047
6230 Premium, 6330 Premium and 6430 Premium	1,6,12,15,18	540/65 R24					X	X	X							X	X	14,324,324	10,317,824	10,367,824		10,377,047
6300, 6310, 6400 and 6410	2,6,12	14,9 x 24					X	X	X							X	X	14,320,354	10,317,288	10,367,288		10,377,047
6320 and 6420	1,5,6,12,14,15,16	540/65 R24					X	X	X							X	X	14,320,064	10,317,540	10,367,540		10,377,047
6320 and 6420	1,5,6,12,15,18	540/65 R24					X	X	X							X	X	14,324,324	10,317,540	10,367,540		10,377,047
6320 L Rops and 6420 L Rops	5,6,8,15	12.4x24					X	X	X							X	X	14,320,374	10,317,540			10,377,047
6403 Rops		14,9x24					X							X				14,321,415	10,317,568			
6415	5,6,12,15	540/65 R24					X	X	X							X	X	14,324,324	10,317,540	10,367,540		10,377,047
6500, 6510, 6600, 6610, 6800, 6810, 6900 and 6910	2,6	540/65 R28							X	X							X	14,320,364	10,317,288	10,367,288		10,377,047
6520, 6620, 6820 and 6920	1,5,6,14,15,16	540/65 R28							X	X							X	14,320,074	10,317,540	10,367,540		10,377,047
6520 L Rops	5,6,15	12.4x24					X	X	X							X	X	14,320,374	10,317,540			10,377,047
6520 TLS and 6620 TLS	1,5,6,14,15,16	540/65 R28							X	X							X	14,321,004	10,317,540	10,367,540		10,377,047
6530, 6630, 6830 and 6930	1,6,14,15,16,19	540/65 R28							X	X							X	14,320,074	10,317,824	10,367,824		10,377,047
6530 Premium, 6630 Premium, 6830 Premium and 6930 Premium	1,6,14,15,16	540/65 R28							X	X							X	14,320,074	10,317,824	10,367,824		10,377,047
6603 Rops		14,9x24						X								X		14,320,385	10,317,568			

1 Prepared for Zuidberg front hitch
 2 Hydraulic kit 10317312/10367312 adapted for tractors with suspended front axle.
 5 Hydraulic set 10317687/10367687 adapted for tractors produced as from year 2004 or later.
 6 Hose kit 10377047 adapted for tractors equipped with a 2 sections EICV-valve.
 8 Loader Q45 must be ordered with long bearing boxes.
 12 Loader Q45 must be ordered with long bearing boxes for tractors with front wheels larger than 480/65 R24.

14 If the tractor has a drawbar bracket, please order set 10386279.
 15 Hose kit 10377277 adapted for tractors equipped with a 3 section EICV-valve.
 16 To combine grill guards with Sauter or Degenhart front hitch, order set 14323651.
 18 Adapted for tractors sold in NA.
 19 Tractor must be equipped with JD original Power beyond plate number: AL171838 (studs L173498 qty 3 is needed)



ISSUE 05 MAY 2010

<h1 style="text-align: center;">John Deere</h1>			With Parallel Linkage									Without Parallel Linkage						Alternative hydraulic solutions				
			Q25 DS	Q25	Q35 DS	Q35	Q45	Q55	Q65	Q75	Q85x DL	Q20 DS	Q20	Q30 DS	Q30	Q40	Q50	Q60	Subframe	ErgoDrive Standard Hydraulic Kit	ElectroDrive CDC Hydraulic Kit	De Luxe Hose Kit
Tractor model	Rem.	Max front wheel																				
6615, 6715, 7220, 7320 and 7420	5,6,15	540/65 R28						X	X								X	14,324,334	10,317,540	10,367,540		10,377,047
7130, 7230 and 7330	6,15,19	540/65 R28						X	X								X	14,324,334	10,317,824	10,367,824		10,377,047
7130 Premium, 7230Premium and 7330 Premium	6,15	540/65 R28						X	X								X	14,324,334	10,317,824	10,367,824		10,377,047
7200, 7210, 7300, 7310, 7400, 7410, 7500 and 7510	2,6	540/65 R28						X	X								X	14,320,364	10,317,862			10,377,047
7430 Premium and 7530 Premium	6,15	600/65 R28							X									14,323,414	10,317,824	10,367,824		10,377,047
7430 Premium	6,15,17	540/65 R28						X	X								X	14,324,334	10,317,824	10,367,824		10,377,047
7520	5,6,15	540/65 R28						X	X								X	14,320,074	10,317,540	10,367,540		10,377,047
7600, 7610, 7700, 7710, 7800 and 7810		540/65 R30							X									14,320,084	10,317,180	10,367,180		
7630, 7720, 7730, 7820, 7830, 7920 and 7930	7,13	600/70 R30								X								14,330,004	10,317,660	10,367,660		10,377,216
8100, 8110, 8200, 8210, 8300, 8310, 8400 and 8410		600/65 R28								X								14,331,034	317,217	367,217		
<p>2 Hydraulic kit 10317312/10367312 adapted for tractors with suspended front axle.</p> <p>5 Hydraulic set 10317687/10367687 adapted for tractors produced as from year 2004 or later.</p> <p>6 Hose kit 10377047 adapted for tractors equipped with a 2 sections EICV-valve.</p> <p>7 Subframe set 14330014 is adapted for Zuidberg, Sauter and Degenhart front hitch. For Laforge lift arms must be slightly modified.</p> <p>13 Hose kit 10377216 adapted for tractors equipped with a 2 sections EICV-valve.</p> <p>15 Hose kit 10377277 adapted for tractors equipped with a 3 section EICV-valve.</p> <p>17 Adapted for NA edition tractors</p> <p>19 Tractor must be equipped with JD original Power beyond plate number: AL171838 (studs L173498 qty 3 is needed)</p>																						