



ISSUE 11 JUNE 2009

<h1>Valtra</h1>			With Parallel Linkage								Without Parallel Linkage							Subframe		Alternative hydraulic solutions		
			Q25 DS	Q25	Q35 DS	Q35	Q45	Q55	Q65	Q75	Q85 DL	Q20 DS	Q20	Q30 DS	Q30	Q40	Q50			Q60	Standard Hydraulic Kit	CDC Hydraulic Kit
Tractor model	Rem.	Max front wheel																				
505, 605 and 615	4,15,30	13,6 x 24				X	X								X		14,320,575	317,106	367,106			
705, 715, 755, 805, 815 and 855	4,30	13,6 x 28					X	X							X	X	14,320,575	317,106	367,106			
800, 900, A 85 and A 95	15,17,27,28	480/65 R24				X	X								X		14,322,025	10,317,784	10,367,263			
800, 900, A 85 and A 95	4,15,17,27	480/65 R24				X	X								X		14,321,695	10,317,784	10,367,263			
3400C, 3400F, 3500C, 3500F and 3600C	4,14			X								X					14,323,995	10,317,825				
6200, 6300 and 6400	3,11,28,29	480/65 R28						X									14,320,765	10,317,658	10,367,658			
6200, 6300 and 6400	3,4,29	480/65 R28					X	X							X	X	14,320,575	10,317,658	10,367,658			
6250, 6350, 6550, 6650, 6750 and 6850	2,3,4,27	480/65 R28					X	X							X	X	14,320,575	10,317,658	10,367,658			
6250 and 6350	2,3,11,27,28	480/65 R28						X									14,320,765	10,317,658	10,367,658			
6550, 6650, 6750 and 6850	2,3,11,28	480/65 R28						X									14,320,765	10,317,658	10,367,658			
8050, 8150, 8350, 8450, 8550, 8750 and 8950	3,4,16,27	540/65 R28							X	X						X	14,320,615	10,317,658	10,367,658			
8050, 8150, 8350, 8450, 8550, 8750 and 8950	3,16,27,28	540/65 R28								X							14,320,605	10,317,658	10,367,658			
A 72	15,17,26,27,28,36	480/65 R24				X	X								X		14,322,025	10,317,784	10,367,263			
A 72	4,15,17,26,27,36	480/65 R24				X	X								X		14,321,695	10,317,784	10,367,263			
A 75	4,15,17,27,31	480/65 R24				X	X								X		14,321,695	10,317,784	10,367,263			
A 75	15,17,27,28,31	480/65 R24				X	X								X		14,322,025	10,317,784	10,367,263			
A 75	4,17,18,27	480/65 R24				X	X								X		10,347,105	10,317,784	10,367,263			
A 82 and 92	15,17,26,27,28	480/65 R24				X	X								X		14,322,025	10,317,784	10,367,263			

2 Order additional kit 10347271 for tractors before S/No. K36108.

3 Hydraulic set designed for Hi-Tech models or all tractors after S/No L 17307.

4 Subframe will fit all options except for Zuidberg front hitch.

11 Loader Q55 must be ordered with long bearing boxes.

14 Subframe does NOT fit tractors with auxiliary hydraulic outlets in front of cab!

15 Loader Q35 must be ordered with long bearing boxes.

16 Order additional kit 14321621 for tractors before S/No. K36108.

17 Order hydraulic kit 10317262 if you wish to have a left hand fitted Ergodrive lever.

18 Subframe adapted for older tractors with wheel base 2253 mm.

26 Adapted for tractor with Tier-3 engine

27 The CDC-kit does NOT include a joystick bracket.

28 Subframe adapted for tractors with Zuidberg front hitch of the same type that is factory fitted.

29 Order additional kit 10347271 for tractors before S/No. K41108.

30 Order additional kit 10347271.

31 Subframe is adapted for tractors with wheel base 2385mm. For shorter models, please refer to Basic range.

36 Be aware during the connection and disconnection of the Q40 or Q45 loader to avoid the bearing box colliding with the exhaust muffler.



ISSUE 11 JUNE 2009

<h1>Valtra</h1>			With Parallel Linkage								Without Parallel Linkage						Alternative hydraulic solutions					
			Q25 DS	Q25	Q35 DS	Q35	Q45	Q55	Q65	Q75	Q85 DL	Q20 DS	Q20	Q30 DS	Q30	Q40	Q50	Q60	Subframe	Standard Hydraulic Kit	CDC Hydraulic Kit	De Luxe Hose Kit
Tractor model	Rem.	Max front wheel																				
A 82 and 92	4,15,17,26,27	480/65 R24			X	X									X		14,321,695	10,317,784	10,367,263			
C 90, 100, 110, 120, 130 and 150	1,6,12	480/65 R28					X	X								X	X	14,322,334			10,377,206	
M 120, 130 and 150	4,5,9,22	540/65 R28					X	X								X	X	14,320,585	10,317,648	10,367,648	10,377,134	
M 120, 130 and 150	5,9,22,28	540/65 R28						X									X	14,320,595	10,317,648	10,367,648	10,377,134	
N 82 and 92	4,15,19,27	14,9 R24			X	X									X		14,323,674	10,317,658	10,367,658			
N 82 and 92	15,19,27,28	14,9 R24			X	X									X		14,323,684	10,317,658	10,367,658			
N 91 and 101	1,13,19,27	16,9 x 28				X	X	X								X	X	14,322,334	10,317,658	10,367,658		
N 111, 111e and 121	1,6,13,19,27	16,9 x 28				X	X	X								X	X	14,322,334	10,317,658	10,367,658		
N 111e		16,9 x 28				X	X	X								X	X	14,322,334	10,317,658	10,367,658		
N 121 Adv.	1,6,13,20,21,23	16,9 x 28				X	X	X								X	X	14,322,334	10,317,781	10,367,781	10,377,272	10,377,246
N 122	1,13,32,33,34	16,9 x 28				X	X	X								X	X	14,323,924	10,317,821	10,367,821		
N 141	1,6,19,27	16,9 x 28					X	X								X	X	14,322,334	10,317,658	10,367,658		
N 141 Adv.	1,6,20,21,23	16,9 x 28					X	X								X	X	14,322,334	10,317,781	10,367,781	10,377,272	10,377,246
N 142	1,32,33,34	16,9 x 28					X	X								X	X	14,323,924	10,317,821	10,367,821		
S 232, 262, 292, 322 and 352	1	16,9R34							X									14,330,234		10,367,832		
T 120, 130, 140, 160, 180 and 190	4,5,9,22	540/65 R30						X	X								X	14,320,555	10,317,648	10,367,648	10,377,134	
T 120, 130, 140, 160, 170, 180 and 190	5,9,22,28	540/65 R30							X									14,320,565	10,317,648	10,367,648	10,377,134	

- 1 Subframe set will fit with and without original front hitch
- 4 Subframe will fit all options except for Zuidberg front hitch.
- 5 Left hand fitted Ergodrive lever.
- 6 Use counter weight 1200 kg in combination with loader Q65 or Q60.
- 9 The CDC-kit includes a joystick bracket.
- 12 Hose kit 10377206 doesn't fit tractors with compressed air tank
- 13 Loader Q45 must be ordered with long bearing boxes.
- 15 Loader Q35 must be ordered with long bearing boxes.
- 17 Order hydraulic kit 10317262 if you wish to have a left hand fitted Ergodrive lever.
- 19 Order hydraulic kit 10317759 if you wish to have a left hand fitted Ergodrive lever.

- 20 Order hydraulic kit 10317788 if you wish to have a left hand fitted Ergodrive lever.
- 21 Hose kit 10377246 adapted for tractors with mid mounted valve.
- 22 Hose sets 10377133-134 are adapted for tractors before S/No. M39149.
- 23 Hose kit Deluxe will fit all options except for tractors with forest equipment or with connections for pneumatic driven trailer brakes.
- 26 Adapted for tractor with Tier-3 engine
- 27 The CDC-kit does NOT include a joystick bracket.
- 28 Subframe adapted for tractors with Zuidberg front hitch of the same type that is factory fitted.
- 32 Order hydraulic kit 10317820 if you wish to have a left hand fitted Ergodrive lever.
- 33 Use counter weight 1000 kg in combination with loader Q60.
- 34 Use counter weight 1200 kg in combination with loader Q65.



ISSUE 11 JUNE 2009

<h1>Valtra</h1>			With Parallel Linkage								Without Parallel Linkage						Alternative hydraulic solutions					
			Q25 DS	Q25	Q35 DS	Q35	Q45	Q55	Q65	Q75	Q85 DL	Q20 DS	Q20	Q30 DS	Q30	Q40	Q50	Q60	Subframe	Standard Hydraulic Kit	CDC Hydraulic Kit	De Luxe Hose Kit
Tractor model	Rem.	Max front wheel																				
T 120, 130, 140, 170, 180 and 190	4,5,8,9,22	540/65 R30								X								14,330,225	10,317,648	10,367,648	10,377,134	
T 120c, 130c, 140c, 160c and 170c	4,10,27	540/65 R30						X	X								X	14,320,555	10,317,678	10,367,666		
T 120c, 130c, 140c, 160c and 170c	10,27,28	540/65 R30							X									14,320,565	10,317,678	10,367,666		
T 120c, 130c, 140c, 160c and 170c	4,8,10,27	540/65 R30								X								14,330,225	10,317,678	10,367,666		
T 121, 131, 151, 161, 171 and 191	24,28	540/65 R30							X									14,320,565	10,317,678	10,367,666	10,377,274	
T 121, 131, 151, 161, 171 and 191	4,24	540/65 R30						X	X								X	14,320,555	10,317,678	10,367,666	10,377,274	
T 121, 131, 151, 161, 171 and 191	4,8,24	540/65 R30								X								14,330,225	10,317,678	10,367,666	10,377,274	
T 132, 152, 162, 172, 182 and 202	7,32,35	540/65 R30						X	X								X	14,323,844	10,317,821	10,367,821		
T 132, 152, 162, 172, 182 and 202	4,8,32	540/65 R30								X								14,331,004	10,317,821	10,367,821		
T 151 Adv., 161 Adv., 171 Adv. and 191 Adv.	4,23,25	540/65 R30						X	X								X	14,320,555	10,317,810	10,367,810	10,377,273	
T 151 Adv., 161 Adv., 171 Adv. and 191 Adv.	23,25,28	540/65 R30							X									14,320,565	10,317,810	10,367,810	10,377,273	
T 151 Adv., 161 Adv., 171 Adv. and 191 Adv.	4,8,23,25	540/65 R30								X								14,330,225	10,317,810	10,367,810	10,377,273	
T 160	4,5,8,9,22	540/65 R30						X	X	X							X	14,330,225	10,317,648	10,367,648	10,377,134	
T 170	4,5,9,22	540/65 R30						X	X	X							X	14,320,555	10,317,648	10,367,648	10,377,134	

- 4 Subframe will fit all options except for Zuidberg front hitch.
- 5 Left hand fitted Ergodrive lever.
- 7 Use counter weight 1000 kg in combination with loader Q75.
- 8 Use counter weight 1200 kg in combination with loader Q85.
- 9 The CDC-kit includes a joystick bracket.
- 10 Order hydraulic kit 10317666 if you wish to have a left hand fitted Ergodrive lever.
- 22 Hose sets 10377133-134 are adapted for tractors before S/No. M39149.
- 23 Hose kit Deluxe will fit all options except for tractors with forest equipment or with connections for pneumatic driven trailer brakes.
- 24 Order hydraulic kit 10317809 if you wish to have a left hand fitted Ergodrive lever.
- 25 Order hydraulic kit 10317811 if you wish to have a left hand fitted Ergodrive lever.
- 27 The CDC-kit does NOT include a joystick bracket.
- 28 Subframe adapted for tractors with Zuidberg front hitch of the same type that is factory fitted.
- 32 Order hydraulic kit 10317820 if you wish to have a left hand fitted Ergodrive lever.
- 35 Order loader Q65 with long bearing boxes for tractors with original front hitch.